



EXPRESS DELIVERY PRODUCTS



EXPRESS DELIVERY AVAILABLE
on a wide range of QMP products

- Designed to assist in the compliance of COSHH regulations.
- "No snag" handles with 2-point locking.
- Adjustable spill-retaining galvanised shelves.
- Integral liquid-tight sump encourages the correct handling of spills through the use of absorbents.*
- Wall cupboards are pre-drilled for mounting (fixings not included).
- Stands raise cupboards 500mm with an adjustable foot for uneven surfaces.
- Order quantities may apply, please speak to the QMP sales team.
- Reaction to Fire Classification EN 13501-1.*

*Except wall mounted cupboards.

3-5 DAY
DELIVERY



Floor Cupboards



CZ909046ZYXX



CZ703530ZYXX



CZ189046ZYXX



Hazardous Floor Cupboards

Size H.W.D.	Shelves	Code	Extra Shelves	Code
1800.900.460	3	CZ189046ZYXX	W.1200 x D.460	CUPDSHLF1246
1800.1200.460	3	CZ181246ZYXX	W.900 x D.460	CUPDSHLF9046
1200.900.460	2	CZ129046ZYXX	W.900 x D.460	CUPDSHLF9046
900.460.460	1	CZ904646ZYXX	W.900 x D.460	CUPDSHLF9046
900.900.460	1	CZ909046ZYXX	W.460 x D.460	CUPDSHLF4646
700.350.300	1	CZ703530ZYXX	W.900 x D.460	CUPDSHLF9046
700.900.460	1	CZ709046ZYXX	W.350 x D.300	CUPDSHLF3530

Mobile Cupboards



Hazardous Mobile Cupboards

Size H.W.D.	Shelves	Code
1040.900.460	1	CZ109046MYXX
840.900.460	1	CZ849046MYXX

Stands



Hazardous Cupboard Stands

Size H.W.D.	Code
H. 543 W.350 x D.300	CZST3530ZYXX
H. 543 W.460 x D.460	CZST4646ZYXX
H. 543 W.900 x D.460	CZST9046ZYXX

Wall Cupboards



Hazardous Wall Cupboards

Size H.W.D.	Shelves	Code
570.850.255	1	CZ855725ZYXX



HAZSAFE®

**NEW
PRODUCT**



**48 HOUR
DELIVERY**

Our HazSafe® Site Security Box is the perfect solution for the storage and transportation of hazardous substances and materials, onsite and on the road - delivered in just 48 hours! The HazSafe® is manufactured from a high gauge of steel, features a well-ventilated system and is designed with a fully-welded construction in five sizes.

- Fully-welded construction suitable for the safe transportation and storage of hazardous substance materials.
- Catch lock fitting for the customer to use their own padlock.
- Powder-coated high-visibility yellow with Germ Guard Active Technology paint.
- Internal ventilation to prevent build-up of fumes.
- Hard-wearing black plastic handles at both side points.
- Warning labels included as standard.
- Security catch to secure the lid whilst open.
- Reaction to Fire Classification EN 13501-1.



HazSafe® Site Security Boxes - Dimensions/Codes

Size H.W.D.	Code
380.360.370	SHS383637ZYX
555.460.420	SHS554642ZYX
555.660.420	SHS556642ZYX
555.890.420	SHS558942ZYX
555.1190.420	SHS551142ZYX



FLAMSAFE®


**NEW
PRODUCT**



**48 HOUR
DELIVERY**

Our FlamSafe® Site Security Box is the perfect solution for the storage and transportation of chemicals and flammable liquids, onsite and on the road - delivered in just 48 hours! The FlamSafe® is manufactured from a high gauge of steel, features a well-ventilated system and is designed with a fully-welded construction in five sizes.

- Fully-welded construction suitable for the safe transportation and storage of hazardous substance materials.
- Catch lock fitting for the customer to use their own padlock.
- Powder-coated high-visibility red with Germ Guard Active Technology paint.
- Internal ventilation to prevent build-up of fumes.
- Hard-wearing black plastic handles at both side points.
- Warning labels included as standard.
- Security catch to secure the lid whilst open.
- Reaction to Fire Classification EN 13501-1.



FlamSafe® Site Security Boxes - Dimensions/Codes

Size H.W.D.	Code
380.360.370	SFS383637ZRX
555.460.420	SFS554642ZRX
555.660.420	SFS556642ZRX
555.890.420	SFS558942ZRX
555.1190.420	SFS551142ZRX

TOOLS[®]SAFE

**NEW
PRODUCT**



**48 HOUR
DELIVERY**

Our ToolSafe® Site Security Box is the ideal solution for storing and transporting tools and equipment, whether on-site or on the road. Plus, it's delivered within just 48 hours. Manufactured from robust heavy-gauge steel, our ToolSafe® is built to last. It features strong gas struts for safe, effortless opening, ensuring security and safety. Choose from six versatile sizes to meet all your needs.

- Made from robust 1.5mm thick mild steel for outstanding strength.
- Fully welded construction ensures superior security for your peace of mind.
- Features an internally fixed hinge to eliminate the risk of disassembly and unauthorised access.
- Equipped with a high-security 8-lever safe lock.
- Designed with gas struts for smooth, ergonomic, and safe opening.
- Customise your unit with optional fork pockets or castors for exceptional versatility and mobility - contact our sales team for details.
- Finished with a durable powder-coated dark grey paint for long-lasting resilience.



ToolSafe® Site Security Boxes - Dimensions/Codes

Size H.W.D.	Code	Code (with Fork Pockets)	Code (Mobile)
400.850.500	STC408550KXX	STC408550KFX	STC408550KMX
500.900.500	STC509050KXX	STC509050KFX	STC509050KMX
500.1200.500	STC501250KXX	STC501250KFX	STC501250KMX
650.1200.650	STC651265KXX	STC651265KFX	STC651265KMX
1200.1200.650	STC121265KXX	STC121265KFX	STC121265KMX
500.1800.500	STC501850KXX	STC501850KFX	STC501850KMX



- General workshop bench suitable for use in assembly, production and light engineering.
- Height adjustable feet for easy levelling.
- Powder-coated light grey framework.
- Beech, Laminate and MFC worktop options available.
- Full range of accessories available including drawers, cupboards, shelves, louvre panels and service ducts.
- Standard bench height: 840mm.
- Delivered in knock-down form.
- Order quantities may apply, please speak to the QMP sales team.




Drawer & Cupboard Options

Description	Size H.W.D	Code
Single Drawer	220 x 420 x 420	BEDR04021
Triple Drawer	435 x 420 x 420	BEDR04043
Cupboard Unit	435 x 420 x 420	BECU04041

Solid Beech Worktop 27mm thick	
Size H.W.D.	Code
840.1200.600	BQ841260BLXX
840.1200.750	BQ841275BLXX
840.1200.900	BQ841290BLXX
840.1500.600	BQ841560BLXX
840.1500.750	BQ841575BLXX
840.1500.900	BQ841590BLXX
840.1800.600	BQ841860BLXX
840.1800.750	BQ841875BLXX
840.1800.900	BQ841890BLXX

MFC Worktop 18mm thick	
Size H.W.D.	Code
840.1200.750	BQ841275GLXX
840.1200.900	BQ841290GLXX
840.1500.750	BQ841575GLXX
840.1500.900	BQ841590GLXX
840.1800.750	BQ841875GLXX
840.1800.900	BQ841890GLXX

Laminate Worktop 20mm thick	
Size H.W.D.	Code
840.1200.750	BQ841275PLXX
840.1200.900	BQ841290PLXX
840.1500.750	BQ841575PLXX
840.1500.900	BQ841590PLXX
840.1800.750	BQ841875PLXX
840.1800.900	BQ841890PLXX



Square Tube Workbench Accessories

Key	Description	Code
A	760mm Rear Support Posts	BESP760SXXX
A	1180mm Rear Support Posts	BESP1180SXXX
B	Upper Shelf 300mm MFC for 1200mm Bench	BEUS1200GXXX
B	Upper Shelf 300mm Laminate for 1200mm Bench	BEUS1200PXXX
B	Upper Shelf 300mm MFC for 1500mm Bench	BEUS1500GXXX
B	Upper Shelf 300mm Laminate for 1500mm Bench	BEUS1500PXXX
B	Upper Shelf 300mm MFC for 1800mm Bench	BEUS1800GXXX
B	Upper Shelf 300mm Laminate for 1800mm Bench	BEUS1800PXXX
C	Light/Tool Rail Support for 1200mm Bench	BERS1200XLXX
C	Light/Tool Rail Support for 1500mm Bench	BERS1500XLXX
C	Light/Tool Rail Support for 1800mm Bench	BERS1800XLXX
D	3 Setting LED Light	BE3SETL1200X
	Tilting LED Light - 30 Watt	BELED3012XXX
E	Louvred Back Panel with Pinboard for 1200mm Bench	BELO4812IXXX
E	Louvred Back Panel with Pinboard for 1500mm Bench	BELO4815IXXX
E	Louvred Back Panel with Pinboard for 1800mm Bench	BELO4818IXXX
F	Worktop Service Duct for 1200mm Bench	BESDWT122XXX
F	Worktop Service Duct for 1500mm Bench	BESDWT15XXX
F	Worktop Service Duct for 1800mm Bench	BESDWT18XXX
G	Post Fitted Service Duct for 1200mm Bench	BESDSP12XXXX
G	Post Fitted Service Duct for 1500mm Bench	BESDSP15XXXX
G	Post Fitted Service Duct for 1800mm Bench	BESDSP18XXXX
H	Flat Screen Support Arm	BEMONARMFLSC



Our range of express delivery Square Tube Workbench Kits is perfect for use in assembly, production, and light engineering, with a weight load of 250kg UDL. These steel workbenches are one of our best-selling bench ranges and are available in workbench kit forms with many configurations to choose from.

Choose from either our hardwearing laminate or solid beech worktop.

**5 DAY
DELIVERY**



Laminate Worktop

Size H.W.D.	Code
840.1200.750	BQ841275PX1A
840.1500.750	BQ841575PX1B
840.1800.750	BQ841875PX1C

Beech Worktop

Size H.W.D.	Code
840.1200.750	BQ841275BX2A
840.1500.750	BQ841575BX2B
840.1800.750	BQ841875BX2C

Laminate Worktop

Size H.W.D.	Code
840.1200.750	BQ841275PX3A
840.1500.750	BQ841575PX3B
840.1800.750	BQ841875PX3C

Beech Worktop

Size H.W.D.	Code
840.1200.750	BQ841275BX4A
840.1500.750	BQ841575BX4B
840.1800.750	BQ841875BX4C

Laminate Worktop

Size H.W.D.	Code
1600.1200.750	BQ841275PX5A
1600.1500.750	BQ841575PX5B
1600.1800.750	BQ841875PX5C

Beech Worktop

Size H.W.D.	Code
1600.1200.750	BQ841275BX6A
1600.1500.750	BQ841575BX6B
1600.1800.750	BQ841875BX6C



Laminate Worktop

Size H.W.D.	Code
1600.1200.750	BQ841275PX7A
1600.1500.750	BQ841575PX7B
1600.1800.750	BQ841875PX7C

Beech Worktop

Size H.W.D.	Code
1600.1200.750	BQ841275BX8A
1600.1500.750	BQ841575BX8B
1600.1800.750	BQ841875BX8C

Laminate Worktop

Size H.W.D.	Code
2020.1200.750	BQ841275PX9A
2020.1500.750	BQ841575PX9B
2020.1800.750	BQ841875PX9C

Beech Worktop

Size H.W.D.	Code
2020.1200.750	BQ841275B10A
2020.1500.750	BQ841575B10B
2020.1800.750	BQ841875B10C

Laminate Worktop

Size H.W.D.	Code
2020.1200.750	BQ841275P11A
2020.1500.750	BQ841575P11B
2020.1800.750	BQ841875P11C

Beech Worktop

Size H.W.D.	Code
2020.1200.750	BQ841275B12A
2020.1500.750	BQ841575B12B
2020.1800.750	BQ841875B12C


Our express Heavy-Duty Workbenches are ideal for heavy-duty applications in production areas, engineering facilities, or manufacturing environments. These benches have a fully welded construction and can support a weight load of 1200kg when evenly distributed, making them suitable for heavy-duty usage. The fast-ship benches are available with either Steel Plate, Laminate or Solid Beech worktops.

- Fully welded construction for extra strength.
- Workbench weight load: 1200kg evenly distributed.
- Powder-coated dark grey framework.
- Steel plate, beech and laminate worktop options.
- Full range of accessories available to customise your bench.
- Standard bench height: 840mm.
- Order quantities may apply, please speak to the QMP sales team.



Drawer & Cupboard Options

Description	Size H.W.D.	Code
Single Drawer	220 x 420 x 420	BXDR04021
Triple Drawer	435 x 420 x 420	BXDR04043
Cupboard Unit	435 x 420 x 420	BXCU04051



Heavy Duty Bench Accessories

Description	Code
760mm Rear Support Posts	BESP760SXXXX
1180mm Rear Support Posts	BESP1180XXXX
Upper Shelf 300mm Laminate for 1200mm Bench	BEUS1200PXXX
Upper Shelf 300mm Laminate for 1500mm Bench	BEUS1500PXXX
Upper Shelf 300mm Laminate for 1800mm Bench	BEUS1800PXXX
Light/Tool Rail Support for 1200mm Bench	BERS1200XLXX
Light/Tool Rail Support for 1500mm Bench	BERS1500XLXX
Light/Tool Rail Support for 1800mm Bench	BERS1800XLXX
3 Setting LED Light	BE3SETL1200X
Tilting LED Light - 30 Watt	BELED3012XXX
Louvred Back Panel with pinboard for 1200mm Bench	BELO4812IXXX
Louvred Back Panel with pinboard for 1500mm Bench	BELO4815IXXX
Louvred Back Panel with pinboard for 1800mm Bench	BELO4818IXXX
Worktop Service Duct for 1200mm Bench	BESDWT122XXX
Worktop Service Duct for 1500mm Bench	BESDWT15XXXX
Worktop Service Duct for 1800mm Bench	BESDWT18XXXX
Post Fitted Service Duct for 1200mm Bench	BESDSP12XXXX
Post Fitted Service Duct for 1500mm Bench	BESDSP15XXXX
Post Fitted Service Duct for 1800mm Bench	BESDSP18XXXX
Flat Screen Support Arm	BEMONARMFLSC

Steel Plate Worktop 2mm thick

Size H.W.D.	Code
840.1200.750	BJ841275SKXX
840.1500.750	BJ841575SKXX
840.1800.750	BJ841875SKXX

Solid Beech Worktop 27mm thick

Size H.W.D.	Code
840.1200.750	BJ841275BKXX
840.1500.750	BJ841575BKXX
840.1800.750	BJ841875BKXX

Laminate Worktop 20mm thick

Size H.W.D.	Code
840.1200.750	BJ841275PKXX
840.1500.750	BJ841575PKXX
840.1800.750	BJ841875PKXX



Our range of express delivery Heavy-Duty Workbench Kits is perfect for heavy-duty applications such as engineering and manufacturing, with a weight load of 1200kg UDL. These steel workbenches are one of our best-selling bench ranges and are available in workbench kit forms with many configurations to choose from. Choose from either our hardwearing laminate or solid beech worktop.

**5 DAY
DELIVERY**

A



Laminate Worktop

Size H.W.D.	Code
840.1200.750	BJ841275PX1A
840.1500.750	BJ841575PX1B
840.1800.750	BJ841875PX1C

Beech Worktop

Size H.W.D.	Code
840.1200.750	BJ841275BX2A
840.1500.750	BJ841575BX2B
840.1800.750	BJ841875BX2C

B



Laminate Worktop

Size H.W.D.	Code
840.1200.750	BJ841275PX3A
840.1500.750	BJ841575PX3B
840.1800.750	BJ841875PX3C

Beech Worktop

Size H.W.D.	Code
840.1200.750	BJ841275BX4A
840.1500.750	BJ841575BX4B
840.1800.750	BJ841875BX4C

C



Laminate Worktop

Size H.W.D.	Code
1600.1200.750	BJ841275PX5A
1600.1500.750	BJ841575PX5B
1600.1800.750	BJ841875PX5C

Beech Worktop

Size H.W.D.	Code
1600.1200.750	BJ841275BX6A
1600.1500.750	BJ841575BX6B
1600.1800.750	BJ841875BX6C

D



Laminate Worktop

Size H.W.D.	Code
1600.1200.750	BJ841275PX7A
1600.1500.750	BJ841575PX7B
1600.1800.750	BJ841875PX7C

Beech Worktop

Size H.W.D.	Code
1600.1200.750	BJ841275BX8A
1600.1500.750	BJ841575BX8B
1600.1800.750	BJ841875BX8C

E



Laminate Worktop

Size H.W.D.	Code
2020.1200.750	BJ841275PX9A
2020.1500.750	BJ841575PX9B
2020.1800.750	BJ841875PX9C

Beech Worktop

Size H.W.D.	Code
2020.1200.750	BJ841275B10A
2020.1500.750	BJ841575B10B
2020.1800.750	BJ841875B10C

F



Laminate Worktop

Size H.W.D.	Code
2020.1200.750	BJ841275P11A
2020.1500.750	BJ841575P11B
2020.1800.750	BJ841875P11C

Beech Worktop

Size H.W.D.	Code
2020.1200.750	BJ841275B12A
2020.1500.750	BJ841575B12B
2020.1800.750	BJ841875B12C

- General workshop bench suitable for use in assembly, production and light engineering.
- Cantilever construction for maximum leg room.
- Height adjustable feet for easy levelling.
- Powder-coated light grey framework.
- Beech, Laminate and MFC worktop options available.
- Full range of accessories available including drawers, cupboards, shelves, louvre panels and service ducts.
- Standard bench height: 840mm.
- Delivered in knock-down form.
- Order quantities may apply, please speak to the QMP sales team.



Drawer & Cupboard Options

Description	Size H.W.D	Code
Single Drawer	220 x 420 x 420	BEDR04021
Triple Drawer	435 x 420 x 420	BEDR04043
Cupboard Unit	435 x 420 x 420	BECU04041



Solid Beech Worktop 27mm thick	
Size H.W.D.	Code
840.1200.750	BC841275BLXX
840.1200.900	BC841290BLXX
840.1500.750	BC841575BLXX
840.1500.900	BC841590BLXX
840.1800.750	BC841875BLXX
840.1800.900	BC841890BLXX

MFC Worktop 18mm thick	
Size H.W.D.	Code
840.1200.750	BC841275GLXX
840.1200.900	BC841290GLXX
840.1500.750	BC841575GLXX
840.1500.900	BC841590GLXX
840.1800.750	BC841875GLXX
840.1800.900	BC841890GLXX

Laminate Worktop 20mm thick	
Size H.W.D.	Code
840.1200.750	BC841275PLXX
840.1200.900	BC841290PLXX
840.1500.750	BC841575PLXX
840.1500.900	BC841590PLXX
840.1800.750	BC841875PLXX
840.1800.900	BC841890PLXX

Cantilever Workbench Accessories

Key	Description	Code
A	760mm Rear Support Posts	BESP760XXXX
A	1180mm Rear Support Posts	BESP1180XXXX
B	Upper Shelf 300mm MFC for 1200mm Bench	BEUS1200GXXX
B	Upper Shelf 300mm Laminate for 1200mm Bench	BEUS1200PXXX
B	Upper Shelf 300mm MFC for 1500mm Bench	BEUS1500GXXX
B	Upper Shelf 300mm Laminate for 1500mm Bench	BEUS1500PXXX
B	Upper Shelf 300mm MFC for 1800mm Bench	BEUS1800GXXX
B	Upper Shelf 300mm Laminate for 1800mm Bench	BEUS1800PXXX
C	Light/Tool Rail Support for 1200mm Bench	BERS1200XLXX
C	Light/Tool Rail Support for 1500mm Bench	BERS1500XLXX
C	Light/Tool Rail Support for 1800mm Bench	BERS1800XLXX
D	3 Setting LED Light	BE3SETL1200X
	Tilting LED Light - 30 Watt	BELED3012XXX
E	Louvred Back Panel with Pinboard for 1200mm Bench	BELO4812IXXX
E	Louvred Back Panel with Pinboard for 1500mm Bench	BELO4815IXXX
E	Louvred Back Panel with Pinboard for 1800mm Bench	BELO4818IXXX
F	Worktop Service Duct for 1200mm Bench	BESDWT122XXX
F	Worktop Service Duct for 1500mm Bench	BESDWT15XXXX
F	Worktop Service Duct for 1800mm Bench	BESDWT18XXXX
G	Post Fitted Service Duct for 1200mm Bench	BESDSP12XXXX
G	Post Fitted Service Duct for 1500mm Bench	BESDSP15XXXX
G	Post Fitted Service Duct for 1800mm Bench	BESDSP18XXXX
H	Flat Screen Support Arm	BEMONARMFLSC






- General workshop bench with static dissipative properties.
- Suitable for use as an assembly or repair bench in the electrical and electronic industries.
- A leg in each corner gives firm support.
- Powder-coated light grey framework.
- Full range of accessories available including wrist straps, circuit breakers and earth/ground leads.
- Standard bench height: 840mm.
- Delivered in knock down form.
- Order quantities may apply, please speak to the QMP sales team.



Neostat worktop and extension bench option available on extended lead time.

Lamstat Worktop 20mm Thick	
Size H.W.D.	Code
840.1200.750	BQ841275LLXX
840.1200.900	BQ841290LLXX
840.1500.750	BQ841575LLXX
840.1500.900	BQ841590LLXX
840.1800.750	BQ841875LLXX
840.1800.900	BQ841890LLXX

Drawer & Cupboard Options		
Description	Size H.W.D.	Code
Single Drawer	220 x 420 x 420	BEDR04021
Triple Drawer	435 x 420 x 420	BEDR04043
Cupboard Unit	435 x 420 x 420	BECU04041



ESD Square Tube Workbench Accessories		
Key	Description	Code
A	760mm Rear Support Posts	BESP760SXXXX
A	1180mm Rear Support Posts	BESP1180XXXX
B	Upper Shelf 300mm Lamstat for 1200mm Bench	BEUS1200LXXX
B	Upper Shelf 300mm Lamstat for 1500mm Bench	BEUS1500LXXX
B	Upper Shelf 300mm Lamstat for 1800mm Bench	BEUS1800LXXX
C	Light/Tool Rail Support for 1200mm Bench	BERS1200XLXX
C	Light/Tool Rail Support for 1500mm Bench	BERS1500XLXX
C	Light/Tool Rail Support for 1800mm Bench	BERS1800XLXX
D	3 Setting LED Light	BE3SETL1200X
	Tilting LED Light - 30 Watt	BELED3012XXXX
E	Louvred Galv Back Panel with pinboard for 1200mm Bench	BELO48122XXXX
E	Louvred Galv Back Panel with pinboard for 1500mm Bench	BELO48152XXXX
E	Louvred Galv Back Panel with pinboard for 1800mm Bench	BELO48182XXXX
F	Worktop Service Duct for 1200mm Bench	BESDWT122XXXX
F	Worktop Service Duct for 1500mm Bench	BESDWT15XXXX
F	Worktop Service Duct for 1800mm Bench	BESDWT18XXXX
G	Post Fitted Service Duct for 1200mm Bench	BESDSP12XXXX
G	Post Fitted Service Duct for 1500mm Bench	BESDSP15XXXX
G	Post Fitted Service Duct for 1800mm Bench	BESDSP18XXXX
	RCB Circuit Breaker	BERCBCIBXXXX
	Wrist Strap with 10mm stud or 4mm banana	BEWRISTRXXXX
	Earth/Ground Lead with 1m ohm resistor	BEEARGROXXXX
	Earth/Ground Lead with 3-pin plug	BEEALEAD3PIN
	Insulating Strip - required for Worktop Service Ducts	BESERINSXXXX
	Double Data Socket	BEDDSBBPXXXX
H	Flat Screen Support Arm	BEMONARMLSC

- General workshop bench with static dissipative properties.
- Suitable for use as an assembly or repair bench in the electrical and electronic industries.
- Cantilever construction allows for maximum leg room.
- Powder-coated light grey framework.
- Full range of accessories available including wrist straps, circuit breakers and earth/ground leads.
- Standard bench height: 840mm.
- Delivered in knock down form.
- Order quantities may apply, please speak to the QMP sales team.



Neostat worktop and extension bench option available on extended lead time.

Drawer & Cupboard Options

Description	Size H.W.D.	Code
Single Drawer	220 x 420 x 420	BEDR04021
Triple Drawer	435 x 420 x 420	BEDR04043

Cupboard Unit	435 x 420 x 420	BECU04041
---------------	-----------------	------------------

Lamstat Worktop 20mm Thick

Size H.W.D.	Code
840.1200.750	BC841275LLXX
840.1200.900	BC841290LLXX
840.1500.750	BC841575LLXX
840.1500.900	BC841590LLXX
840.1800.750	BC841875LLXX
840.1800.900	BC841890LLXX

ESD Cantilever Workbench Accessories

Key	Description	Code
A	760mm Rear Support Posts	BESP760SXXXX
A	1180mm Rear Support Posts	BESP1180XXXX
B	Upper Shelf 300mm Lamstat for 1200mm Bench	BEUS1200LXXX
B	Upper Shelf 300mm Lamstat for 1500mm Bench	BEUS1500LXXX
B	Upper Shelf 300mm Lamstat for 1800mm Bench	BEUS1800LXXX
C	Light/Tool Rail Support for 1200mm Bench	BERS1200XLXX
C	Light/Tool Rail Support for 1500mm Bench	BERS1500XLXX
C	Light/Tool Rail Support for 1800mm Bench	BERS1800XLXX
D	3 Setting LED Light	BE3SETL1200X
	Tilting LED Light - 30 Watt	BELED3012XXX
E	Louvred Galv Back Panel with pinboard for 1200mm Bench	BELO4812ZXXX
E	Louvred Galv Back Panel with pinboard for 1500mm Bench	BELO4815ZXXX
E	Louvred Galv Back Panel with pinboard for 1800mm Bench	BELO4818ZXXX
F	Worktop Service Duct for 1200mm Bench	BESDWT122XXX
F	Worktop Service Duct for 1500mm Bench	BESDWT15XXXX
F	Worktop Service Duct for 1800mm Bench	BESDWT18XXXX
G	Post Fitted Service Duct for 1200mm Bench	BESDSP12XXXX
G	Post Fitted Service Duct for 1500mm Bench	BESDSP15XXXX
G	Post Fitted Service Duct for 1800mm Bench	BESDSP18XXXX
	RCB Circuit Breaker	BERCB18XXXX
	Wrist Strap with 10mm stud or 4mm banana	BEWRISTRXXXX
	Earth/Ground Lead with 1m ohm resistor	BEEARGROXXXX
	Earth/Ground Lead with 3-pin plug	BEEALEAD3PIN
	Insulating Strip - required for Worktop Service Ducts	BESERINSXXXX
	Double Data Socket	BEDDSBPXXXX
H	Flat Screen Support Arm	BEMONARMLSC



Workplace Cupboards



These general workplace cupboards and cabinets offer a combination of storage, mobility, and security to the workplace. Each cupboard is constructed with reinforced steel doors and a 2-point locking system to ensure the security of the contents. They are available in various sizes to meet your specific needs.

5 DAY DELIVERY



- 'No snag' handles with 2-point locking.
- Strengthened doors.
- Weld and rivet construction provides an all-round robust workplace cupboard.
- Adjustable powder-coated shelves.
- Powder coated with Germ Guard Active Technology paint.
- Order quantities may apply, please to our sales team.
- Dark Blue and Light Grey doors available on 5-day delivery.
- Reaction to Fire Classification EN 13501-1.

FIRE GUARD
TESTED & CERTIFIED
EN 13501-1

Colour Options

Please add corresponding letters to the end of the code



Workplace Cupboards

Size H.W.D.	Shelves	Code
1800.900.460	3	CG189046Z
900.900.460	2	CG909046Z

PPE Lockers



Our PPE Locker range enables employees to safely store their personal protective equipment within the workplace. PPE Lockers allow employers to comply with regulations regarding the safe storage of protective equipment. These lockers are powder-coated blue and clearly marked with PPE labels.

- Fitted with standard mastered cam locks with 2,000 differs.
- Single-tier lockers fitted with top shelf and coat hook.
- Two-tier lockers fitted with top shelf and coat hook.
- Strengthened doors with rubber buffers.
- Supplied with PPE labels for identification.
- Powder coated with Germ Guard Active Technology paint with Dark Blue doors.

FIRE GUARD
TESTED & CERTIFIED
EN 13501-1

5-7 DAY DELIVERY

PPE Lockers - H.1800 W.300 D.300

Compartments	Code
1	LP1830301BXX
2	LP1830302BXX
3	LP1830303BXX
4	LP1830304BXX
6	LP1830306BXX

PPE Lockers - H.1800 W.300 D.450

Compartments	Code
1	LP1830451BXX
2	LP1830452BXX
3	LP1830453BXX
4	LP1830454BXX
6	LP1830456BXX



Quality compartment lockers suitable for a multitude of storage applications. Standard Lockers provide the flexibility of two sizes with six door options. The Standard Locker design means it's easily adapted in height, width and depth to suit your individual requirements.

- 2, 3, 4, 5 and 6 door lockers fitted with galvanised security shelf to prevent unauthorised access to the compartment below.
- Fitted with standard mastered cam locks with 2,000 differs.
- Single-tier lockers fitted with top shelf and coat hook, two-tier fitted with coat hook in each compartment.
- Strengthened and ventilated doors with rubber buffers.
- Reaction to Fire Classification EN 13501-1.



Door Stiffener



Door Ventilation




Interior Coat Hook

Standard Lockers - Dimensions/Codes

Compartments	H.1800 W.300 D.300	H.1800 W.300 D.450
1	LS1830301	LS1830451
2	LS1830302	LS1830452
3	LS1830303	LS1830453
4	LS1830304	LS1830454
5	LS1830305	LS1830455
6	LS1830306	LS1830456

Colour Options

Please add corresponding letters to the end of the code





Our Express Lockers feature the same high-quality design as our Standard Lockers, but they come with a quicker delivery time of 3-5 days. We keep a selection of these lockers in stock, offering four compartment options and the choice of either Light Grey or Dark Blue doors.

- Choice of 300mm and 450mm depths.
- 2, 4 and 6 door lockers fitted with galvanised security shelf to prevent any unauthorised access to the compartment below.
- Fitted with standard, mastered cam locks with 2,000 differs.
- Single-tier lockers fitted with top shelf and coat hook.
- Two-tier lockers fitted with coat hook in each compartment.
- Strengthened and ventilated doors with rubber buffers.
- Powder coated with Germ Guard Active Technology paint.
- Order quantities may apply, please speak to the sales team.



Express Lockers - Dimension /Codes

Compartments	H.1800 W.300 D.300	H.1800 W.300 D.450
1	LQ1830301	LQ1830451
2	LQ1830302	LQ1830452
4	LQ1830304	LQ1830454
6	LQ1830306	LQ1830456

Colour Options

Please add corresponding letters to the end of the code





Personal Effects Lockers

Personal Effects Lockers are an ideal way of providing secure storage for small items such as mobile phones, wallets and keys.

- Fitted with standard mastered cam locks with 2,000 differs.
- Compartment entry aperture: H.150mm x W.163mm x D.360mm.
- Dark Blue & Light Grey door colours available on 5 Day Delivery.
- Powder-coated with Germ Guard Active Technology anti-bacterial paint.
- Pre-drilled for nesting.
- Lockers are fitted with a security shelf to prevent unauthorised access to the compartment below.
- Order quantities may apply, please speak to the QMP sales team.
- Reaction to Fire Classification EN-13501-1.

Personal Effects Lockers		
Size H.W.D.	Tiers	Code
1285.900.380	28	LR12 9038H
940.900.380	20	LR90 9038Y
1800.450.380	20	LR18 4538Y
1800.900.380	40	LR18 9038F

Cube Lockers



Cube Lockers provide secure, space-saving storage for personal items in offices, call centres, and schools where space is limited.

- Fitted with standard mastered cam locks with 2,000 differs.
- Ventilated locker doors.
- Rubber door buffers.
- Powder coated with Germ Guard Active Technology paint.
- Pre-drilled for nesting or wall mounting.
- Available with an extra shelf - this is suitable for the 450x450x450 Cube Locker.
- Reaction to Fire Classification EN13501-1.
- Dark Blue & Light Grey door colours available on 5-Day Delivery.



Cube Lockers - Dimensions/Codes

Size H.W.D.	Code
300.300.300	UG303030Z
380.380.380	UG383838Z
450.450.450	UG464646Z

Internal Shelf - Galvanised - 450.450.450 Cube Locker

Size H.W.D.	Code
170.450.450	UGES4646ZLXX

Economy Shelf Trucks

Hand trucks with multi-shelf storage for general commercial and heavy-duty use. Ideal for storage of work in progress and for transporting between areas.

- Recessed steel shelves for load retention.
- Fitted with 2 fixed and 2 swivel 6" heavy duty castors.
- Fully welded construction.
- Only available in blue, other colours available on extended lead time.
- Order quantities may apply, please speak to the QMP sales team.



Size H.W.D.	Description	Code
960.495.1100	2 Tier Economy Shelf Truck	RTLD9649112
960.495.1100	3 Tier Economy Shelf Truck	RTLD9649113

Platform Trucks

These high-quality steel hand Platform Trucks come as standard with a single handle. A blue powder-coated framework and robust design offer durability to ensure each truck can handle the rigors of the workplace.

- Fitted with 2 fixed and 2 swivel 6" heavy-duty castors.
- Fully welded construction.
- Only available in blue, other colours available on extended lead time.
- Order quantities may apply, please speak to the QMP sales team.



Single Handed Platform Trucks - Open End

Size H.W.D.	Description	Code
1050.600.900	Single Handle Platform Truck	RTPTS6900
1050.600.1200	Single Handle Platform Truck	RTPTS6120

Sack Trucks

The practical and versatile Sack Truck is constructed from welded tubular steel for high levels of strength and durability.

- Fully-welded construction with an impressive 500kg load capacity.
- Manufactured with a 250mm shoe baseplate.
- Powder-coated Dark Blue with Germ Guard Active Technology paint.
- Fitted with hard-wearing castors.
- Designed with welded steel plate to guard castors from accidental damage.
- Handles include hooded grips for hand protection.
- Order quantities may apply, please speak to the sales team.

Sack Trucks

Shoe Size	Option	Code
250mm	Open Back	RTOB2550XBXX





A range of robustly constructed workstations designed for Team Leaders, Supervisors or Line Managers. Fully welded steel framework ideal for tough environments. The compact design recognises the pressure on factory workspace but still allows the team leader to have a workstation with everything they need.

- Two depths available, 460mm and 600mm.
- Full range of accessories.
- Sloping and Flat Top versions available.
- Fully welded robust frame.
- Ideal for standing at to improve health and fitness, but can be used in conjunction with an industrial stool or chair.
- Order quantities may apply, please speak to the QMP sales team.



Team Leader Workstation - Sloping Top

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010461LX
Sloping Top	1060.1000.600	TLS1010601LX



Team Leader Workstation - Flat Top

Description	Size H.W.D.	Code
Flat Top	920.1000.460	TLF9210461LX
Flat Top	920.1000.600	TLF9210601LX



Team Leader Workstation - Single Drawer

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010462LX
Sloping Top	1060.1000.600	TLS1010602LX
Flat Top	920.1000.460	TLF9210462LX
Flat Top	920.1000.600	TLF9210602LX



Team Leader Workstation - Two Single Drawers

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010463LX
Sloping Top	1060.1000.600	TLS1010603LX
Flat Top	920.1000.460	TLF9210463LX
Flat Top	920.1000.600	TLF9210603LX

5 DAY
DELIVERY



Team Leader Workstation - Cupboard

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010464LX
Sloping Top	1060.1000.600	TLS1010604LX
Flat Top	920.1000.460	TLF9210464LX
Flat Top	920.1000.600	TLF9210604LX



Team Leader Workstation - Single Drawer & Cupboard

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010465LX
Sloping Top	1060.1000.600	TLS1010605LX
Flat Top	920.1000.460	TLF9210465LX
Flat Top	920.1000.600	TLF9210605LX



Team Leader Workstation - Triple Drawer

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010466LX
Sloping Top	1060.1000.600	TLS1010606LX
Flat Top	920.1000.460	TLF9210466LX
Flat Top	920.1000.600	TLF9210606LX



Team Leader Workstation - Triple Drawer & Single Drawer

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010467LX
Sloping Top	1060.1000.600	TLS1010607LX
Flat Top	920.1000.460	TLF9210467LX
Flat Top	920.1000.600	TLF9210607LX



Team Leader Workstation - Double Cupboard

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010468LX
Sloping Top	1060.1000.600	TLS1010608LX
Flat Top	920.1000.460	TLF9210468LX
Flat Top	920.1000.600	TLF9210608LX



Team Leader Workstation - Triple Drawer & Cupboard

Description	Size H.W.D.	Code
Sloping Top	1060.1000.460	TLS1010469LX
Sloping Top	1060.1000.600	TLS1010609LX
Flat Top	920.1000.460	TLF9210469LX
Flat Top	920.1000.600	TLF9210609LX



Sheffield Cycle Loops


Our range of Sheffield Cycle Loops are a classic design which allows the bicycle wheel and frame to be locked securely on to the stand by the user's own lock.

- Sheffield loops can be surface-mounted or grouted underground.
- Adult loops are 800mm high x 715mm wide.


- Order quantities may apply, please speak to the QMP sales team.
- Grouted loops are provided with 250mm length below ground as standard; longer lengths can be provided on request.
- Parabolt fixings included.

Sheffield Cycle Loops		
Size	Mount Options	Galvanised
Adult	Floor Mounted	SRSHL8071FVX
	Grouted	SRSHL1071GVX

5 DAY
DELIVERY



Sheffield Cycle Racks



5 DAY
DELIVERY



Sheffield Cycle Racks provide secure parking for anything from 4 bikes upwards. Toast racks are a popular purchase for use with our range of cycle shelters and compounds.

- Racks comprised of two or more Sheffield Loops.
- Order quantities may apply, please speak to the QMP sales team.

Sheffield Cycle Racks		
Loops	Length	Galvanised
2	930mm	SRSHT80712VX
3	1730mm	SRSHT80713VX
4	2530mm	SRSHT80714VX
5	3330mm	SRSHT80715VX



Cost Saver Cycle Racks

These cost-effective Cycle Racks for one bike are available in three designs with a choice of 90° or 60° angles to the wall.

- Fully welded construction.
- Made from mild steel.
- Choice of 90° or 60° angles.
- Powder coated exterior grade black.
- Order quantities may apply, please speak to sales.

Wall-Mounted - H.400 W.100 D.260

Angle	Code
90 Degrees	SRCSM904011A
60 Degrees	SRCSM604011A



5 DAY
DELIVERY

Double-Sided - H.560 W.570 D.120

Angle	Code
2 Bikes	SRCSFM25656A



Single-Sided - H.560 W.310 D.120

Capacity	Code
1 Bike	SRCSFM15631A

Smoking Canopy



5 DAY
DELIVERY

Aimed at helping smaller companies comply with legislation governing smoking at work, this shelter provides cover for up to 3 smokers.

- Robust all-weather construction.
- Greater than 50% open.
- Translucent polycarbonate roof and side panels provide up to 97% UV protection.
- Simply bolts to a suitable wall (fixings not included).
- Site survey and erection service available.
- Order quantities may apply, please speak to the QMP sales team.

Smoking Canopy

Size H.W.D.	Capacity	Code
1000.2000.1100	3 People	SS102011WM2

Colour Options

Please add corresponding letters to the end of the code



If sited within 5 miles of the coast, we strongly recommend an additional weather treatment for the steel work. This is available for a modest additional charge.



Straight Barrier Units

These safety barriers are designed for creating protective barriers around machinery and equipment and for defining walkways through industrial, manufacturing and warehousing areas.

Straight Barrier Units	
Size L.H.	Open Barrier
1000.900	RBST10900YXX
1000.1100	RBST10110YXX
2000.900	RBST20900YXX
2000.1100	RBST20110YXX



Low Level Barriers

- Designed to protect machinery from damage by fork lifts or pallet trucks.
- Fully welded construction from box section.
- Powder-coated yellow. Black available on longer lead time.
- Supplied with floor fixings.
- Angled steel corner protectors.
- Order quantities may apply, please speak to the QMP sales team.

Low Level Barriers	
Size H.W.	Code
300.1200	RBLLSB1200YX
300.800	RBLLSBX800YX
300.400	RBLLSBX400YX

Corner Protectors	
Size H.W.D.	Code
300.300.300	RBLLSCX300YX



Pallet Racking Protectors

- An economical range of protection barriers for the end of pallet racking bays.
- Constructed from heavy-gauge steel tube and fully welded, with no on-site assembly required.
- Powder-coated high visibility yellow.
- Heavy-duty floor fixing plate with bolts included.
- 6 sizes for single or double bays.
- Order quantities may apply, please speak to sales.


Pallet Racking Protectors	
Size (Length)	Code
To suit 700mm	RBMODBX700YX
To suit 900mm	RBMODBX900YX
To suit 1100mm	RBMODB1100YX
To suit 1500mm	RBMODB1500YX
To suit 1900mm	RBMODB1900YX
To suit 2300mm	RBMODB2300YX



Protective Posts

- Designed to protect building doorways from accidental damage.
- Fully welded construction for floor mounting - fixings included.
- Extra height posts available on request for embedding into concrete.
- Powder-coated in yellow. Black and black and yellow available on longer lead time.
- Order quantities may apply, please speak to the QMP sales team.


Protective Posts	
Size H. W.	Code
1100.170	RBPP110170YX
915.115	RBPP915115YX
760.90	RBPP76090YX



These attractive tubular, safety barriers are ideal for protecting walkways around machinery and shelving, and for defining walkways through industrial, manufacturing and warehouse areas.


- Fully welded construction.
- Powder-coated high visibility yellow.
- Supplied with floor fixings.
- Order quantities may apply, please speak to the QMP sales team.

5 DAY
DELIVERY

Long Guard Barrier

Size H.L.	Code
940.2000	RBLGB9420YXX



Short Guard Barrier


Size H.L.	Code
940.1000	RB5GB9410YXX



Maxium pillar size; W600 x D480mm

Pillar Guard Barrier

Size H.W.D.	Code
850.750.700	RBPGB8575YXX



Corner Guard Barrier

Size H.W.D.	Code
940.530.530	RBCGB9453YXX

Our canteen furniture range offers affordable seating options for vending, refreshment, and rest areas. The modular units consist of tables and seats in various seating arrangements, allowing you to create a layout that fits your space. These units also provide easy access to the floor for convenient cleaning. The high-quality seats are easy to clean and made from one-piece moulded polypropylene.

- Blue seats available on 5-Day Delivery.
- Red or black seats available on a longer lead time.
- Fully welded canteen unit with polypropylene seats.
- Powder-coated frames in black.
- MFC table tops come in light grey, with PVC edging for extra strength and protection.
- Available in 2-seater single entry, 4-seater single entry, 4-seater double entry, 6-seater single entry and 6-seater double entry.
- Optional floor fixings available.
- Order quantities may apply, please speak to the QMP sales team.



■ Table Top: 535mm x 600mm

2 Seat Single Entry

Size H.W.L.	Code
725.1690.530	B6FASTFD2SE



■ Table Top: 1070mm x 600mm

4 Seat Double Entry

Size H.W.L.	Code
725.1690.1070	B6FASTFD4DE



■ Table Top: 1070mm x 600mm

4 Seat Single Entry

Size H.W.L.	Code
725.1690.1070	B6FASTFD4SE



■ Table Top: 1580mm x 600mm

6 Seat Double Entry

Size H.W.L.	Code
725.1690.1580	B6FASTFD6DE



■ Table Top: 1580mm x 600mm

6 Seat Single Entry

Size H.W.L.	Code
725.1690.1580	B6FASTFD6SE